

408

MOHAWK[®]
FLUSH DOORS

A *Masonite* COMPANY





Palazzo Series[®]

Masonite's Palazzo Series[®] Molded Panel Doors feature distinct raised moulding combined with unique high-definition panel profiles. Palazzo's raised moulding introduces architectural accents like no other door. Palazzo is offered in three architectural designs, Bellagio[®], Capri[®] and Treviso[™] – all which make a grand impression and add elegance and sophistication to any room.

PALAZZO™ SERIES

*Presenting the Palazzo™ Series Collection...
transforming interiors with exceptional definition and elegance.*




Palazzo Features

- Distinct raised moulding combined with unique, high-definition panel profiles
- Exceptionally smooth surface, ideal for painting and decorating
- Palazzo features Masonite's unique Engineered Component Construction. Several core reinforcements† are strategically positioned throughout the door in the stiles, rails and panels to maximize performance. Palazzo was designed to have the weight*, feel and richness of stile & rail wood doors, with all of the performance benefits of a composite wood product.
- Three architectural designs available in both 1-3/8" and 1-3/4" doors
- 20-minute fire rating available with (1-3/4" Bellagio & Capri only)
- United States Patent #6,588,162, other patents pending


Note: † Core reinforcements are made from composite wood substrates. * Weight comparison is based on matching or exceeding the weight of a domestic pine, stile & rail, two-panel wood door.



Bellagio®
2 arched panels



Capri®
2 square panels



Treviso™
3 panels




Masonite®
ANNIVERSARY COLLECTION



Masonite® Anniversary Collection


Glenview™ 3-panel Craftsman smooth



The Masonite® Anniversary Collection is a special edition of our Masonite Molded Panel Series created in honor of our 80th year. These designs provide the ultimate in wood door authenticity with all of the benefits of a composite wood product. This truly unique collection features the beautiful Cheyenne® 2-panel plank smooth which is perfect for that rustic, country or western look. The Glenview™ 3-panel Craftsman smooth is ideal for Craftsman or Mission style homes. Lastly, the Riverside™ 5-panel equal smooth features our molded shaker panel profile and is a classic, yet timeless, wood door design.

- Available in 20 minute fire-rating only.

Cheyenne® 2-panel plank smooth



Riverside™ 5-panel equal smooth



Mohawk Commercial Series – Molded

		FSC Wood Particle Core	Agrifiber Core	Wood Particle Core	Hollow Core
LEED NC 2.1^{®1}					
MR 4.1&4.2	Pre-Consumer Recycled Content	YES	YES	YES	–
	Post-Consumer Recycled Content	–	–	–	–
MR 5.1	Regional Manufacture – Doors Manufactured Northumberland, PA & South Bend, IN	Many Job Locations	Many Job Locations	Many Job Locations	Many Job Locations
MR 5.2	Regional Material	Many Job Locations	Many Job Locations	Many Job Locations	Many Job Locations
MR 6	Rapidly Renewable Material	–	YES	–	–
MR 7	Certified Wood	YES	–	–	–
EQ 4.4	No Added Urea-Formaldehyde	YES	YES	–	YES
LEED NC 2.2^{®1}					
MR 4.1&4.2	Pre-Consumer Recycled Content	YES	YES	YES	–
	Post-Consumer Recycled Content	–	–	–	–
MR 5.1&5.2	Regional Manufacture – Doors Manufactured Northumberland, PA & South Bend, IN	Many Job Locations	Many Job Locations	Many Job Locations	Many Job Locations
MR 6	Rapidly Renewable Material	–	YES	–	–
MR 7	Certified Wood	YES	–	–	–
EQ 4.4	No Added Urea-Formaldehyde	YES	YES	–	YES

- Content by percent of door weight or volume will vary by door size and core type. Contact customer service for specific order detail.
- For technical specification information, please visit our website at www.mohawkdoors.com or contact us at PA 888-676-6429 or SB 888-776-6429.
- This product contributes to satisfying the above credits of the U.S. Green Building Council's LEED Green Building Rating System™. For more information on LEED, visit www.usgbc.org.
- Evaluations of the Green Certifications above are provided as a courtesy for Mohawk customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.



¹USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.

Commercial Design & Size Options

MOLDED PANEL SERIES			
	2-panel Roman	2-panel	6-panel commercial
	smooth	smooth	smooth
Height 80"	●	●	●
Height 84"	●	●	●
Height 96"	●	●	–

Molded Panel Doors from Masonite are more durable and resist warping, shrinking and cracking better than solid wood doors. These beautifully engineered doors are available in a smooth or textured finish with matching bifolds to suit any decor. They come in a wide range of widths and heights and are primed for easy finishing.

Best of all, no old growth timber is harvested solely for the production of Molded Panel Doors from Masonite. By-product wood chips and timber from sustainably managed forests are used by facilities with a commitment to environmental excellence in every step of the door manufacturing process.


Our commitment to engineer the best products in an environmentally responsible way results in a beautiful, durable product.




2-panel



2-panel roman



2-panel arch-top




3-panel






4-panel



4-panel arch-top



6-panel



Transforming homes as a beautiful component of the interior design process

- All designs and most sizes are available with hollow core construction
- All designs and sizes are available with solid core construction
- All designs and sizes are available primed, or factory custom painted; 6-panel is also available in a prefinished Sienna Oak 6'8" textured.

Package

- Poly-wrap for each door is standard when factory-painted.
- Poly-wrap is available for non-painted or primed doors by request.
- Pallets are stretch-wrapped with corner protectors.
- Door cleats available by special request.

Note: Textured refers to embossed woodgrain.

Commercial Series

Ideal for commercial applications, the Commercial Series adds warmth to any project. Utilized primarily in hotel, healthcare, and office buildings, this door was specifically designed to accept hardware commonly seen on commercial projects. Acceptable applications are: door closers, mortise locks, exit devices and kick plates. The smooth surface emulates the look of a true stile & rail door at a fraction of the price.



Standard Features:

- Maximum Size:** 3'6" x 7'0" (see chart on back cover)
- Thickness:** 1-3/4" and 1-3/8" are standard
- Properties:** 1/8" nominal molded hardboard, modulus of rupture is 6500 lbs
- Door Assembly:** Loose lay construction, edge-bonded available by request on solid core doors.
- Stiles:** Standard Hollow Core: 1-1/4" finger-jointed softwood standard. Hardwood by special request.
Particle Core: 1-1/4" Finger-jointed softwood standard. Optional edge-bonded 1-3/8" hardwood by request.
Mineral Core: 1" Firestop for increased screw-holding with 3/16" wood outer band.
Average (facing) stile width after 1/4" prefit is approximately 6".
- Rails:** 1-1/4" MDF standard, 5" by request. 1-1/4" MDF edge-bonded by request. Fire core doors have 2" rails standard, 5" by request.
- Adhesive:** Type II cross-linked polyvinyl acetate (PVA-X) is standard, Type I by special request
- Limited Warranty:** 1-year standard on hollow core. Particle core and fire core have a Limited Lifetime Warranty.

Core Materials:

Standard

Hollow Core: Flexigrid blocks are staggered throughout door.

Particle Core: Average density 28-30 pcf, LD-1 standard, LD-2 with 32 pcf by special request, Mohawk particle core conforms to ANSI A-208.1, fire approvals through 20 minutes in both positive and neutral/negative pressure, consult factory for details

Mineral Core: Incombustible mineral core to comply with label requirements, Mohawk's standard rating is for neutral/negative pressure, maximum rating for neutral/negative pressure is 60 minutes, 45 minutes for positive pressure, consult factory for details

MOHAWK[®]
FLUSH DOORS

A  Masonite[®] COMPANY



All dimensions shown are prior to trimming. All Mohawk Flush Doors are manufactured to meet or exceed WDMA Industry Standards I.S. 1 Series.

Design & Size Options

MOLDED PANEL & COMMERCIAL SERIES

	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	6'0"	
	PASSAGE														BIFOLDS									
TWO PANEL ARCH-TOP																								
Smooth 6'8"																								
Textured 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"																								
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TWO PANEL ROMAN SMOOTH																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"																								
TWO PANEL																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"																								
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
THREE PANEL																								
Textured 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FOUR PANEL ARCH-TOP																								
Textured 6'8"																								
FOUR PANEL																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Textured 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SIX PANEL																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Textured 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"																								
Textured 7'0"																								
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Textured 8'0"																								
SIX PANEL PRE-FINISHED																								
Sienna Oak 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SIX PANEL COMMERCIAL																								
Smooth 6'8"																								
Smooth 7'0"																								
CHEYENNE®																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GLENVIEW™																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RIVERSIDE™																								
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Textured refers to embossed wood-grain. All pre-finished designs are available textured only. Pre-finished colors may vary in actuality to printed material. All designs and sizes are available as hollow-core EXCEPT: two panel arch-top smooth 8'0", two panel Roman smooth 8'0", two panel smooth 8'0", Cheyenne® 8'0", and four panel smooth 8'0". These designs are only available in solid-core (passage & bifolds). Not all molded panel and pre-finished designs and sizes are available in all regions as stock products. Please check for special order availability.

PALAZZO™ SERIES

	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	2'0"	2'6"	3'0"	4'0"*	5'0"*	6'0"*
	PASSAGE													BIFOLDS					
BELLAGIO® (Two Arched Panels)																			
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CAPRI® (Two Square Panels)																			
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TREVISO™ (Three Panel Camber-Top)																			
Smooth 6'8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 7'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Smooth 8'0"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

All Palazzo passage doors available in 6'8", 7'0", and 8'0" heights. All Palazzo bifold doors available in 6'8" and 8'0" heights. *These Palazzo bifolds are shipped as two 2-door units.



Cheyenne® 2-Panel Plank Smooth



3-Panel Textured



Palazzo™ Bellagio®

MOHAWK®

FLUSH DOORS



A  *Masonite*® COMPANY

EASTERN MILL:
980 Point Township Drive
P.O. Box 112
Northumberland, PA 17857
Phone: 570.473.3557
Fax: 570.473.3737

MIDWEST MILL:
402 N. Sheridan Street
P.O. Box 3098
South Bend, IN 46619
Phone: 574.288.4464
Fax: 574.232.4621

ATLANTA WAREHOUSE:
4713 Hammermill Road
Tucker, GA 30084
Phone: 770.493.8811
Fax: 770.491.1653

Email: mohawk@masonite.com • Web: www.mohawkdoors.com

